

# HD 1110 PLASTIC HORN SPEAKER WITH DRIVER

## DESCRIPTION

Extremely compact horn speaker with high acoustic output. The HD 1110 is particularly suitable for use in call or alarm systems in places with a high level of background noise. Fully protected against atmospheric agents, it can also be used outdoors.



### FEATURES

- Body in RAL 7035 grey plastic.
- Solid, compact construction
- Attachment bracket supplied
- Driver impedance 8 Ohm



#### **TECHNICAL SPECIFICATIONS**

Acoustical specifications	Frequency Response (-10dB):	900 Hz ÷ 13000 Hz	
	Max SPL @ 1m:	114 dB	
	Coverage angle:	175°	
	System Sensitivity:	101 dB	
Power section	Nominal Impedance (ohm):	8 ohm	
	Power Handling:	20 W RMS	
	Peak Power Handling:	80 W PEAK	
	Recommended Amplifier:	40 W	
Transducers	Compression Driver:	1.5"	
Input/Output section	Input connectors:	Cable	
	Output connectors:	Cable	
Standard compliance	CE marking:	Yes	
Physical specifications	Cabinet/Case Material:	Plastic	
	Hardware:	U bracket	
Size	Depth:	93 mm / 3.66 inches	
	Diameter:	100 mm / 3.94 inches	
	Weight:	0.42 kg / 0.93 lbs	
Shipping informations	Package Height:	100 mm / 3.94 inches	
	Package Width:	120 mm / 4.72 inches	
	Package Depth:	120 mm / 4.72 inches	
	Package Weight:	0.92 kg / 2.03 lbs	

## PART NUMBER

## · 13133030

HD 1110

EAN 8024530010140



DRAWINGS





